





PubMe	ed N	ucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books				
Search	PubMed	▼ fe	or					Go Clear	_				
·		Limi	ts Previe	w/Index H	listory Cl	ipboard	Details		managas salistados es				
				<u>-</u>	The second control of		V						
		Display	Abstract	▼ Show:	20 ▼ Sort	▼	Send to Text	▼					
Entrez		□1: Na	ture 1999 Fe	eb 18;397(67	20):579-83			Related Artic	les, Links				
PubMed		=	nment in: Nature. 19 nature	99 Feb 18;39	7(6720):568-	<u>9.</u>							
		A r	nammalia	n protein	with specif	ic dem	ethylase ac	tivity for r	nCpG				
PubMed Services		Bha	Bhattacharya SK, Ramchandani S, Cervoni N, Szyf M.										
		-	Department of Pharmacology and Therapeutics, McGill University, Montreal, QC, Canada.										
Related Resourc	es	dete dem ence met is tr The and	ermined by the thylating expodes a methylated cytomanslated or the discovery of developments.	he enzymation the enzyme has not be sine bases to transiently this DNA contal analysis of this DNA contal analysis of the enzymatic transiently transi	e processes of ow been iden ing domain, be cytosine, and ansfected into demethylase sof the role of	methyla tiffed: a pears a do d demeth human should pr DNA m	ating genome ation and dem mammalian of emethylase ac sylates a plass embryonal kit covide a basis ethylation and	ethylation. It complements ctivity that traid when the dney cells in for the mole	The ary DNA ansforms c cDNA vitro. ecular				
		PM	т: 100208;	or [PubMed	- indexed for	MEDLI	NE]						
		<u> </u>											
		Display	Abstract	▼ Show:	20 ▼ Sort	₹	Send to Text	₹	•				

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Freedom of Information Act | Disclaimer

0

FILE 'HOME' ENTERED AT 16:55:01 ON 15 MAY 2003)

	FILE	'CAPLUS'	ENTERED) AT	16:5	55:38	ON	15	MAY	2003
L1		0 S	DNA DEME	THYI	LASE	(A) II	NHI	BIT	OR	
1.2		29 S	DNA DEME	THY	LASE					

L2 L3

0 S L2 (A) INHIBITION 0 S IMIDAZOLE (A) DNA DEMETHYLASE L4

ANSWER 22 OF 29 CAPLUS COPYRIGHT 2003 ACS AN 1999:218801 CAPLUS DN 131:29241 TI DNA demethylase is a processive enzyme Cervoni, Nadia; Bhattacharya, Sanjoy; Szyf, Moshe AU CS Department of Pharmacology, McGill University, Montreal, QC, H3G 1Y6, Can. SO Journal of Biological Chemistry (1999), 274(13), 8363-8366 CODEN: JBCHA3; ISSN: 0021-9258 PB American Society for Biochemistry and Molecular Biology DT Journal English LΑ CC 7-4 (Enzymes) AΒ DNA methylation patterns are generated during development by a sequence of methylation and demethylation events. We have recently demonstrated that mammals bear a bona fide demethylase enzyme that removes Me groups from methylated cytosines. A general genome wide demethylation occurs early in development and in differentiating cell lines. This manuscript tests the hypothesis that the demethylase enzyme is a processive enzyme. Using bisulfite mapping, this report demonstrates that demethylase is a processive enzyme and that the rate-limiting step in demethylation is the initiation of demethylation. Initiation of demethylation is detd. by the properties of the sequence. Once initiated, demethylation progresses

processively. We suggest that these data provide a mol. explanation for

global hypomethylation.

DNA demethylase hypomethylation

ST






PubMed	Nucleotide Protein	Genome	Structure	PMC	Taxonomy	OMIM Books						
Search Protein	▼ for DNA de	emethylase				Go Clear						
	Limits Prev	riew/Index Hi	story Cl	ipboard	Details							
	Display Summary	▼ Show:	20 ▼ Send	d to Text	₹							
Entrez Protein	Items	s 1-20 of 42			Page	1 of 3 Next						
·	binding protein	ry element bind n-1 [Homo sapi ef]NP_004167.3	iens]	tion factor		BLink, Domains, Links egulatory element						
	demethylase) (sapiens]	similar to Cytochrome P450 51A1 (CYPL1) (P450L1) (Sterol 14-alpha demethylase) (Lanosterol 14-alpha demethylase) (LDM) (P450-14DM) [Homo										
		inding domain NP_056647.1		is-specific		BLink, Domains, Links Iomo sapiens]						
Related resources		inding domain ; NP_003917.1 [omo sapien		BLink, Domains, Links						
	☐5: <u>NP_003918</u> methyl-CpG bigi 4505117 ref	BLink, Domains, Links										
	Cytochrome P450 51 (CYPL1) (P450-L1A1) (Sterol 14-alpha demethylase) (Lanosterol 14-alpha demethylase) (P450-14DM) gi 117176 sp P10614 CP51_YEAST[117176]											
	☐7: P14263 Cytochrome P4 (Lanosterol 14- gi 117175 sp P2	-alpha demethy	lase) (P450-1	(4DM)		BLink, Domains, Links emethylase)						
	□8: BAC65961 putative cytoch (japonica cultive gil29027845ldh			alpha dem		BLink, Domains, Links Oryza sativa						

□9: NP 056723 BLink, Domains, Links methyl-CpG binding domain protein 1 isoform PCM1 [Homo sapiens] gi|21464119|ref|NP 056723.2|[21464119] □10: NP 056671 BLink, Domains, Links methyl-CpG binding domain protein 1 isoform 1 [Homo sapiens] gi|21464117|ref|NP 056671.2|[21464117] □11: NP 056670 BLink, Domains, Links methyl-CpG binding domain protein 1 isoform 2 [Homo sapiens] gi|21464115|ref|NP 056670.2|[21464115] □12: NP 604391 BLink, Domains, Links cAMP responsive element binding protein 1 isoform B; cAMP-response element-binding protein-1; active transcription factor CREB; transactivator protein [Homo sapiens] gi|19745184|ref|NP 604391.1|[19745184] □13: NP 002375 BLink, Domains, Links methyl-CpG binding domain protein 1 isoform 4 [Homo sapiens] gi|7710143|ref|NP 002375.1|[7710143] □14: NP 056669 BLink, Domains, Links methyl-CpG binding domain protein 1 isoform 3 [Homo sapiens] gi|7710135|ref|NP 056669.1|[7710135] □**15:** NP 004370 BLink, Domains, Links cAMP responsive element binding protein 1 isoform A; cAMP-response element-binding protein-1; active transcription factor CREB; transactivator protein [Homo sapiens] gi|4758054|ref|NP_004370.1|[4758054] **□16:** BAC48664 BLink, Domains, Links vanillate O-demethylase oxidoreductase [Bradyrhizobium japonicum USDA 110] gi|27351658|dbi|BAC48664.1|[27351658] □17: BAC47655 BLink, Domains, Links vanillate O-demethylase oxygenase subunit [Bradyrhizobium japonicum USDA 110] gi|27350645|dbj|BAC47655.1|[27350645] □18: NP 770039 BLink, Domains, Links vanillate O-demethylase oxidoreductase [Bradyrhizobium japonicum] gi|27378510|ref|NP 770039.1|[27378510] □19: NP 769030 BLink, Domains, Links vanillate O-demethylase oxygenase subunit [Bradyrhizobium japonicum] gi|27377501|ref|NP 769030.1|[27377501]

□20: ≥	<u>CP_192834</u>		BLink, Domains, Links					
me	thyl-CpG bin	ding domain pr	otein 2 [Mus r	nusculus]			
gi 2	!5054585 ref]	XP_192834.1 [2	25054585]					
Display	Summary	▼ Show: 20	▼ Send to	Text				
	Items 1	L-20 of 42	A ·	- No. 2 - No. 1 - No. 2 - No.	Page	1	of 3 Next	

<u>Disclaimer | Write to the Help Desk</u> <u>NCBI | NLM | NIH</u>

0



gi|17554480|ref|NP_498848.1|[17554480]

□29: A31854 BLink, Domains, Links lanosterol 14alpha-demethylase (EC 1.14.14.-) cytochrome P450 51 - yeast (Candida tropicalis) gi|83929|pir||A31854[83929] **☐30:** A27491 BLink, Domains, Links lanosterol 14alpha-demethylase (EC 1.14.14.-) cytochrome P450 51 - yeast (Saccharomyces cerevisiae) gi|82967|pir||A27491[82967] **□31:** Q12645 BLink, Domains, Links Pisatin demethylase (Cytochrome P450 57A1) gi|3929362|sp|Q12645|PID9_FUSSO[3929362] □**32:** BAC20841 BLink, Domains, Links putative cytochrome P450(Obtusifoliol 14-alpha demethylase) [Oryza sativa (japonica cultivar-group)] gi|23617163|dbj|BAC20841.1|[23617163] **☐33:** BAC20835 BLink, Domains, Links putative cytochrome P450(Obtusifoliol 14-alpha demethylase) [Oryza sativa (japonica cultivar-group)] gi|23617157|dbi|BAC20835.1|[23617157] □**34:** NP 524468 BLink, Domains, Links six-banded [Drosophila melanogaster] gi|17738157|ref|NP_524468.1|[17738157] **☐35:** AAH32322 BLink, Domains, Links cytochrome P450, 51 (lanosterol 14-alpha-demethylase) [Homo sapiens] gi|21619563|gb|AAH32322.1|[21619563] **☐36:** AAA53284 BLink, Domains, Links cytochrome P450 lanosterol 14-alpha-demethylase [Candida tropicalis] gi|576547|gb|AAA53284.1|[576547] **□37:** CAB58427 BLink, Links P450 lanosterol 14a demethylase [Cryptococcus neoformans var. neoformans] gi|6065767|emb|CAB58427.1|[6065767] **□38:** <u>BAB53878</u> BLink, Domains, Links probable N-methylproline demethylase [Mesorhizobium loti] gi|14027609|dbi|BAB53878.1|[14027609] **□39:** BAB53454 BLink, Domains, Links vanillate O-demethylase oxidoreductase [Mesorhizobium loti]

0

gi|14026858|dbj|BAB53454.1|[14026858]


□40: <u>BAA15607</u>

BLink, Domains, Links

Vanillate demethylase oxidoreductase (EC 1.-.-.) (Vanillate degradation ferredoxin-like protein). [Escherichia coli] gi|1736436|dbj|BAA15607.1|[1736436]

Display	Summary	▼ SI	how:	20	J	Send to	Text	▼			
	Items 21-	40 of	42				Previous	Page	2	of 3	Next

Disclaimer | Write to the Help Desk NCBI | NLM | NIH



Related resources

<u>Disclaimer | Write to the Help Desk</u> <u>NCBI | NLM | NIH</u>





PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books		
Search Pro	Search Protein of Go Clear									
Limits			Preview/Index History			Clipboard Details				
Display	default 🔻	Show: 20	▼ Send	Send to File Get Subsequence						

BLink, Domains, Links

☐1: NP 056647. methyl-CpG bindin...[gi:7710145] PRI 06-APR-2003 LOCUS MBD2 302 aa linear methyl-CpG binding domain protein 2 testis-specific isoform [Homo DEFINITION sapiens]. ACCESSION NP 056647 VERSION NP 056647.1 GI:7710145 DBSOURCE REFSEQ: accession NM 015832.2 KEYWORDS SOURCE Homo sapiens (human) ORGANISM Homo sapiens Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo. REFERENCE (residues 1 to 302) Krithivas, A., Fujimuro, M., Weidner, M., Young, D.B. and Hayward, S.D. AUTHORS TITLE Protein interactions targeting the latency-associated nuclear antigen of Kaposi's sarcoma-associated herpesvirus to cell JOURNAL J. Virol. 76 (22), 11596-11604 (2002) MEDLINE 22276359 PUBMED 12388720 REMARK GeneRIF: interacts with latency-associated nuclear antigen of Kaposi's Sarcoma-associated herpesvirus (KSHV) to tether KSHV to cell chromosomes REFERENCE 2 (residues 1 to 302) AUTHORS Brackertz, M., Boeke, J., Zhang, R. and Renkawitz, R. TITLE Two highly related p66 proteins comprise a new family of potent transcriptional repressors interacting with MBD2 and MBD3 JOURNAL J. Biol. Chem. 277 (43), 40958-40966 (2002) MEDLINE 22287387 PUBMED 12183469 REMARK GeneRIF: interaction with two highly related p66 proteins REFERENCE (residues 1 to 302) Detich, N., Theberge, J. and Szyf, M. AUTHORS TITLE Promoter-specific activation and demethylation by MBD2/demethylase J. Biol. Chem. 277 (39), 35791-35794 (2002) JOURNAL MEDLINE 22229441 PUBMED 12177048 REMARK

GeneRIF: MBD2 protein activates CpG sites within the promoter region of reporter genes

REFERENCE (residues 1 to 302) 4

Bakker, J., Lin, X. and Nelson, W.G. AUTHORS

TITLE Methyl-CpG binding domain protein 2 represses transcription from hypermethylated pi-class glutathione S-transferase gene promoters in hepatocellular carcinoma cells

JOURNAL J. Biol. Chem. 277 (25), 22573-22580 (2002)

MEDITUE 22063361 PUBMED 11960994

REMARK GeneRIF: Methyl-CpG binding domain protein 2 represses transcription from hypermethylated pi-class glutathione

S-transferase gene promoters in hepatocellular carcinoma cells

REFERENCE (residues 1 to 302)

AUTHORS Ng, H.H., Zhang, Y., Hendrich, B., Johnson, C.A., Turner, B.M., Erdjument-Bromage, H., Tempst, P., Reinberg, D. and Bird, A.

```
TITLE
            MBD2 is a transcriptional repressor belonging to the MeCP1 histone
             deacetylase complex
  JOURNAL
            Nat. Genet. 23 (1), 58-61 (1999)
  MEDLINE
            99400553
   PUBMED
            10471499
REFERENCE
                (residues 1 to 302)
            6
  AUTHORS
            Hendrich, B., Abbott, C., McQueen, H., Chambers, D., Cross, S. and
  TITLE
            Genomic structure and chromosomal mapping of the murine and human
            Mbd1, Mbd2, Mbd3, and Mbd4 genes
  JOURNAL
            Mamm. Genome 10 (9), 906-912 (1999)
  MEDLINE
            99373255
            10441743
   PUBMED
REFERENCE
            7
                (residues 1 to 302)
  AUTHORS
            Bhattacharya, S.K., Ramchandani, S., Cervoni, N. and Szyf, M.
  TITLE
            A mammalian protein with specific demethylase activity for mCpG DNA
  JOURNAL
            Nature 397 (6720), 579-583 (1999)
  MEDLINE
            99158138
   PUBMED
            10050851
REFERENCE
            8
                (residues 1 to 302)
  AUTHORS
            Hendrich, B. and Bird, A.
  TITLE
            Identification and characterization of a family of mammalian
            methyl-CpG binding proteins
  JOURNAL
            Mol. Cell. Biol. 18 (11), 6538-6547 (1998)
  MEDLINE
            98449942
   PUBMED
            9774669
REFERENCE
            9
                (residues 1 to 302)
  AUTHORS
            Scanlan, M.J., Chen, Y.T., Williamson, B., Gure, A.O., Stockert, E.,
            Gordan, J.D., Tureci, O., Sahin, U., Pfreundschuh, M. and Old, L.J.
  TITLE
            Characterization of human colon cancer antigens recognized by
            autologous antibodies
  JOURNAL
            Int. J. Cancer 76 (5), 652-658 (1998)
  MEDLINE
            98272252
   PUBMED
            REVIEWED REFSEQ: This record has been curated by NCBI staff. The
COMMENT
            reference sequence was derived from AF120989.1, AF120989.1 and
            AF120994.1.
            Summary: DNA methylation is the major modification of eukaryotic
```

summary: DNA methylation is the major modification of eukaryotic genomes and plays an essential role in mammalian development. Human proteins MECP2, MBD1, MBD2, MBD3, and MBD4 comprise a family of nuclear proteins related by the presence in each of a methyl-CpG binding domain (MBD). Each of these proteins, with the exception of MBD3, is capable of binding specifically to methylated DNA. MECP2, MBD1 and MBD2 can also repress transcription from methylated gene promoters. MBD2 may function as mediators of the biological consequences of the methylation signal. It is also reported that the MBD2 protein functions as a demethylase to activate transcription, as DNA methylation causes gene silencing. However, MBD2 in HeLa cells does not demethylate DNA, probably due to HeLa cell's using an alternative pathway involving MBD2 to silence methylated genes.

Transcript Variant: This variant (testis-specific) includes an alternate exon located within intron 2 resulting in a distinct COOH terminus.

```
FEATURES
```

Location/Qualifiers

source

1..302

/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosome="18"

/map="18q21" 1..302

Protein

/product="methyl-CpG binding domain protein 2

testis-specific isoform"

```
Region
                            /region_name="DNA binding domain found in several
                            chromosomal proteins including the Methyl CpG binding
                            /note="tam"
                            /db_xref="CDD:LOAD tam"
      CDS
                            1..\overline{302}
                            /gene="MBD2"
                            /coded_by="NM_015832.2:230..1138"
                            /db_xref="LocusID:8932"
                            /db_xref="MIM:603547"
ORIGIN
          1 mrahpgggrc cpeqeegesa aggsgaggds aieqggqgsa lapspvsgvr regargggrg
         61 rgrwkqagrg ggvcgrgrgr grgrgrgrgr grgrgrppsg gsglggdggg cggggsgggg
       121 aprrepvpfp sgsagpgprg pratesgkrm dcpalppgwk keevirksgl sagksdvyyf
181 spsgkkfrsk pqlarylgnt vdlssfdfrt gkmmpsklqk nkqrlrndpl nqnklrwnth
241 rpapwhalsr lcllircllc lecayplplh lvnsyssktq lhclhlweac paysrqnqsf
        301 pp
//
```

Disclaimer | Write to the Help Desk NCBI | NLM | NIH





PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books			
Search Pro	Search Protein										
Limits			Preview/Ind	dex His	tory	Clipboard	De	tails			
Display default ▼ Show: 20 ▼				to File	₹	Get Subse	equence				

BLink, Domains, Links

☐1: NP_056647. methyl-CpG bindin...[gi:7710145] LOCUS MBD2 302 aa PRI 06-APR-2003 linear DEFINITION methyl-CpG binding domain protein 2 testis-specific isoform [Homo sapiens]. NP 056647 ACCESSION NP 056647.1 GI:7710145 VERSION REFSEQ: accession NM 015832.2 DBSOURCE KEYWORDS SOURCE Homo sapiens (human) ORGANISM Homo sapiens Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo. REFERENCE (residues 1 to 302) AUTHORS Krithivas, A., Fujimuro, M., Weidner, M., Young, D.B. and Hayward, S.D. TITLE Protein interactions targeting the latency-associated nuclear antigen of Kaposi's sarcoma-associated herpesvirus to cell chromosomes JOURNAL J. Virol. 76 (22), 11596-11604 (2002) MEDLINE 22276359 PUBMED 12388720 REMARK GeneRIF: interacts with latency-associated nuclear antigen of

Kaposi's Sarcoma-associated herpesvirus (KSHV) to tether KSHV to cell chromosomes

REFERENCE 2 (residues 1 to 302)

AUTHORS Brackertz, M., Boeke, J., Zhang, R. and Renkawitz, R.

TITLE Two highly related p66 proteins comprise a new family of potent transcriptional repressors interacting with MBD2 and MBD3

JOURNAL J. Biol. Chem. 277 (43), 40958-40966 (2002)

MEDLINE 22287387 PUBMED 12183469

GeneRIF: interaction with two highly related p66 proteins REMARK

REFERENCE (residues 1 to 302)

AUTHORS Detich, N., Theberge, J. and Szyf, M.

TITLE Promoter-specific activation and demethylation by MBD2/demethylase

JOURNAL J. Biol. Chem. 277 (39), 35791-35794 (2002)

MEDLINE 22229441

PUBMED 12177048

REMARK GeneRIF: MBD2 protein activates CpG sites within the promoter region of reporter genes

REFERENCE (residues 1 to 302)

AUTHORS Bakker, J., Lin, X. and Nelson, W.G.

TITLE Methyl-CpG binding domain protein 2 represses transcription from hypermethylated pi-class glutathione S-transferase gene promoters in hepatocellular carcinoma cells

J. Biol. Chem. 277 (25), 22573-22580 (2002) JOURNAL

MEDLINE 22063361 PUBMED 11960994

GeneRIF: Methyl-CpG binding domain protein 2 represses REMARK transcription from hypermethylated pi-class glutathione

S-transferase gene promoters in hepatocellular carcinoma cells

REFERENCE (residues 1 to 302)

Ng, H.H., Zhang, Y., Hendrich, B., Johnson, C.A., Turner, B.M., **AUTHORS** Erdjument-Bromage, H., Tempst, P., Reinberg, D. and Bird, A.

```
TITLE
             MBD2 is a transcriptional repressor belonging to the MeCP1 histone
             deacetylase complex
   JOURNAL
             Nat. Genet. 23 (1), 58-61 (1999)
   MEDLINE
             99400553
    PUBMED
             10471499
 REFERENCE
             6 (residues 1 to 302)
   AUTHORS
             Hendrich, B., Abbott, C., McQueen, H., Chambers, D., Cross, S. and
             Genomic structure and chromosomal mapping of the murine and human
   TITLE
             Mbd1, Mbd2, Mbd3, and Mbd4 genes
   JOURNAL
             Mamm. Genome 10 (9), 906-912 (1999)
   MEDLINE
             99373255
   PUBMED
             10441743
 REFERENCE
             7
                (residues 1 to 302)
  AUTHORS
            Bhattacharya, S.K., Ramchandani, S., Cervoni, N. and Szyf, M.
   TITLE
            A mammalian protein with specific demethylase activity for mCpG DNA
  JOURNAL
            Nature 397 (6720), 579-583 (1999)
  MEDLINE
            99158138
   PUBMED
            10050851
REFERENCE
            8 (residues 1 to 302)
  AUTHORS
            Hendrich, B. and Bird, A.
  TITLE
            Identification and characterization of a family of mammalian
            methyl-CpG binding proteins
  JOURNAL
            Mol. Cell. Biol. 18 (11), 6538-6547 (1998)
  MEDLINE
            98449942
   PUBMED
            9774669
REFERENCE
                (residues 1 to 302)
  AUTHORS
            Scanlan, M.J., Chen, Y.T., Williamson, B., Gure, A.O., Stockert, E.,
            Gordan, J.D., Tureci, O., Sahin, U., Pfreundschuh, M. and Old, L.J.
  TITLE
            Characterization of human colon cancer antigens recognized by
            autologous antibodies
  JOURNAL
            Int. J. Cancer 76 (5), 652-658 (1998)
  MEDLINE
            98272252
   PUBMED
            9610721
            REVIEWED REFSEQ: This record has been curated by NCBI staff. The
COMMENT
            reference sequence was derived from AF120989.1, AF120989.1 and
            AF120994.1.
            Summary: DNA methylation is the major modification of eukaryotic
            genomes and plays an essential role in mammalian development. Human
            proteins MECP2, MBD1, MBD2, MBD3, and MBD4 comprise a family of
            nuclear proteins related by the presence in each of a methyl-CpG
            binding domain (MBD). Each of these proteins, with the exception of
            MBD3, is capable of binding specifically to methylated DNA. MECP2,
            MBD1 and MBD2 can also repress transcription from methylated gene
            promoters. MBD2 may function as mediators of the biological
            consequences of the methylation signal. It is also reported that
            the MBD2 protein functions as a demethylase to activate
            transcription, as DNA methylation causes gene silencing. However,
            MBD2 in HeLa cells does not demethylate DNA, probably due to HeLa
            cell's using an alternative pathway involving MBD2 to silence
            methylated genes.
            Transcript Variant: This variant (testis-specific) includes an
            alternate exon located within intron 2 resulting in a distinct COOH
            terminus.
FEATURES
                     Location/Qualifiers
    source
                     1..302
```

/organism="Homo sapiens" /db_xref="taxon:9606" /chromosome="18"

/map="18g21"

1..302

Protein

/product="methyl-CpG binding domain protein 2

testis-specific isoform"

```
Region
                            147..217
                            /region name="DNA binding domain found in several
                            chromosomal proteins including the Methyl CpG binding
                            proteins"
                            /note="tam"
                            /db_xref="CDD:LOAD_tam"
                            1..\overline{3}02
      CDS
                            /gene="MBD2"
                            /coded_by="NM_015832.2:230..1138"
                            /db_xref="LocusID:8932"
                            /db xref="MIM:603547"
ORIGIN
           1 mrahpgggrc cpeqeegesa aggsgaggds aieqggqgsa lapspvsgvr regargggrg
        61 rgrwkqagrg ggvcgrgrgr grgrgrgrgr grgrgrppsg gsglggdggg cggggsgggg
121 aprrepvpfp sgsagpgprg pratesgkrm dcpalppgwk keevirksgl sagksdvyyf
        181 spsgkkfrsk pqlarylgnt vdlssfdfrt gkmmpsklqk nkqrlrndpl nqnklrwnth
241 rpapwhalsr lcllircllc lecayplplh lvnsyssktq lhclhlweac paysrqnqsf
//
```

<u>Disclaimer | Write to the Help Desk</u> <u>NCBI | NLM | NIH</u>







PubMe	ed N	ucleotide	Protein	Genome	Structi	ure PMC	C Taxo	nomy	OMIM	Books
Search	PubMed	▼ for							Go Clear	
		Limits	Previe	w/index H	istory	Clipboar	d De	tails		
							7			
		Display Ab	stract	▼ Show:	20 ▼	Sort •	Send to	Text	▼	
Entrez		□1: Natur	e 1999 Fe	b 18;397(67	20):568-9)		R	telated Artic	les, Links
PubMed		Comm	ent on:							
		<u> </u>	ature. 199	9 Feb 18;39	7(6720)::	579-83.				
		n	ature							
		Gene	express	ion. The a	mazing	demethy	lase.			
PubMed Services		Cedar	H, Verdi	ne GL.						
		Publica	ation Type	es:						
			omment							
		• N	ews							
		PMID:	1005084	7 [PubMed -	indexed	for MEDL	INE]			
Related Resource	es	Display Ab	stract	▼ Show:	20 🔻	Sort ▼	Send to	Text	V	

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

C







PubMed		lucleotide	Protein	Genome	Structi	ure	PMC	Taxon	omy	OMIM	Books
Search _	PubMed	▼ for					**			Go Clear	-
		Limits	Previe	w/Index H	istory	Clip	oboard	Deta	ails		
	_ <u>`</u>	F									
		Display A	bstract	▼ Show:	20 ▼	Sort	▼	Send to	Text	₹	
,		□1: Proc	Natl Acad	Sci U S A 1	999 May	25;96	5(11):5	894-6	R	Related Artic	les. Links
Entrez PubMed					•	ĺ	` ,				.00, 2,,,,,
Labialed			nent on:								
			TOC Natl A	cad Sci U S	A. 1999	May 2	25;96(1	1):6107-	<u>12.</u>		
			w.pnas.org	in PubMed (Central /						
		DNA	demeth	ylation.							
PubMed Services		Wolff	e AP, Jon	es PL, Wade	PA.						
		Labora	itory of M	olecular Emb	nrvology	Natio	anal Inc	etitute of	Ch:14	Uaalth an	J TT
		Laboratory of Molecular Embryology, National Institute of Child Health and Humar Development, National Institutes of Health, Bethesda, MD 20892-5431, USA.									
		Public	ation Type	es:							
			omment								
			eview _								
		° R	eview, Tu	torial						(
Related Resources	5	PMID:	10339513	PubMed -	indexed t	for M	EDLIN	E]			
	•								····		
		Display Ab	stract	▼ Show:	20 🔻 :	Sort	- FI	Send to	Text	$\overline{\mathbf{n}}$	

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Freedom of Information Act | Disclaimer

0